

materiali

Specifikācija materiāli

"Aizpute 1",

Aizpute, Aizputes pagasts, Dienvidkurzemes novads

n.p.k.	Nosaukums	mērv.	Daudz.	Piezīmes
1	Caurule d40	m	7201	EVODUCT STANDART 750N SDR11 d40 / parametri tehniskajā aprakstā, pielikumā/
2	Caurule d25	m	587	EVODUCT STANDART 750N SDR11 d25 / parametri tehniskajā aprakstā, pielikumā/
3	betona riņķis + Čuguna vāks kamerai 812x540	gab.	7	
4	kamera 812x540	gab.	37	
5	kamera 614x230	gab.	51	
6	skataka 300x300x300	gab.	52	
7	atvads d40/25 45'	gab.	7	
8	FO Cable 4F	m	4056	TKF / CTC 4xSM G.657A1 / Parameters see in products attachment
9	FO Cable 12F	m	2167	TKF / CTC 12xSM G.657A1 / Parameters see in products attachment
10	FO Cable 24F	m	2682	TKF / CTC 24xSM G.657A1 / Parameters see in products attachment
11	FO Cable 48F	m	1745	TKF / LTC-S 48xSM G.657A1 / Parameters see in products attachment
12	FO Cable 96F	m	1461	TKF / LTC-S 96xSM G.657A1 / Parameters see in products attachment
13	FO Box 12SC	gab.	3	FO terminal Box 12F / HTTP-002
14	FO Box 24SC	gab.	1	FO terminal Box 24F / HTTP-001
15	Uzmava Mag. BPEO-S1	gab.	4	CORNING / 3M BPEO-S1 / Parameters see in products attachment
16	Uzmava SubMag. BPEO-S0	gab.	37	CORNING / 3M BPEO-S0 / Parameters see in products attachment
17	Optiskā kasete, uzmavai	gab.	97	CORNING K7 Splice Cassette 2 Slot, Uni Zone-12 / FQ100068284
18	Double-Entry Cable Sealing 6-18mm	gab.	29	CORNING ECAM D18 Main Body / FQ100081857
19	Sealing for mid span access 6-18mm	gab.	29	CORNING ECAM D18 Main Body / FQ100081949
20	Double-Entry Cable Sealing 4,5-6mm	gab.	4	CORNING ECAM D18 Main Body / FQ100084638
21	Sealing for mid span access 4,5-6mm	gab.	4	CORNING ECAM D18 Main Body / FQ100084646
22	Single-Entry Cable Sealing 3,5-9mm	gab.	103	CORNING ECAM S9.5 ROUND / UU003028675
23	Single-Entry Cable Sealing 4-12mm	gab.	1	CORNING ECAM S12 ROUND / FQ100083556
24	Uzmava Abon. OSC12	gab.	19	CORNING / OSC-12 / Parameters see in products attachment

materiali

25	Fusion splice procector 40/2,5mm, uznavai	gab.	13 (1300pcs)	OPTON / OP-SP2545
26	Fusion splice procector 60/2,5mm, uznavai	gab.	2 (200pcs)	OPTON / OP-SP2560
27	Splitter 1x64 LC/APC	gab.	3	FIBERTECHNIC / Splitter PLC 1:64 LC/APC 900um 1,5m (STEEL BOX) FT
28	Splitter 1x32 LC/APC	gab.	3	OPTON / OP-PLC-1X32-ST-LCA-1 / Symmetric splitter PLC 1x32 steel box SM 0.9mm 1m LC/APC
29	Sadales skapis Street Box RSZ-170/60/20, complete	gab.	2	MANTAR / RSZ-170/60/2 144SC
30	Sadales skapis Street Box RSZ-140/44/20, complete	gab.	3	MANTAR / RSZ-140/44/20 72SC
31	Sadales skapis Indoor 96SC, complete	gab.	1	BELOTEX / 96SC Outdoor Terminal Box / 420x520x140mm
32	Optiskā kasete 24SC, 60mm	gab.	8	BELOTEX / 24F Splice Cassette (Black) / KA00011
33	Adapter LC/APC SM DUPLEX	gab.	114	OPTON / OP-AD-LCA-SM-DX
34	Adapter LC/APC SM QUAD	gab.	252	OPTON / OP-AD-LCA-SM-QX
35	Pigtail LC/APC SM 0,9 mm 1m G657A	gab.	748	OPTON / OP-PIG-LCA-SM-09-17L
	Iekšējo tīklu izbūvei :			
36	caurule d40	m	90	
37	caurule d32	m	69	
38	līkums d32	gab.	12	
39	līkums d40	gab.	12	
40	savienojums d32	gab.	24	
41	savienojums d40	gab.	24	
42	lokana caurule d32	m	18	
43	lokana caurule d40	m	12	
44	stiprinājumi d32	gab.	138	
45	stiprinājumi d40	gab.	180	

materiali