



Līdzfinansē  
Eiropas Savienība



Zemkopības ministrija



Lauku atbalsta dienests

**CONFIRMED**

Ltd "IP Vecmīlgrāvis"

30<sup>th</sup> of January, 2026.  
with amendments dated by 06.03.2026.

**PROCUREMENT PROCESS  
FOR INVESTMENT POSITION  
"SET OF CONVEYORS"  
Ref.Nr. IPV-2/2026**

January 2026

## TECHNICAL SPECIFICATION OF THE PROCUREMENT SUBJECT

Set of equipment for salmon processing house within the framework of the European Union European Maritime, Fisheries and Aquaculture Fund (EMFAF) activity "Processing of fishery and aquaculture products."

- |                                |                                                                            |
|--------------------------------|----------------------------------------------------------------------------|
| <b>1. <u>Applicant:</u></b>    | <b><u>“IP Vecmīlgrāvis” Ltd</u></b>                                        |
| 2. Taxpayer number:            | LV40003643261                                                              |
| 3. Applicant's address:        | Lielā iela 62F, Mērsrags, Mērsraga pagasts, Talsu novads, Latvija, LV-3284 |
| <b>4. <u>Ordered item:</u></b> | <b><u>Set of conveyors</u></b>                                             |
| 5. Delivery address:           | Lielā iela 62F, Mērsrags, Mērsraga pagasts, Talsu novads, Latvija, LV-3284 |
| 6. Delivery time:              | till 30.06.2027.                                                           |
| 7. Proposal validity period:   | till 30.06.2026.                                                           |
| 8. Technical specification:    | see table below:                                                           |

### 8.1. Integrated conveyors' system

|                                                   |                            |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------------------------------|----------------------------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Technical requirements (characteristics):</b>  |                            |        | Designed to ensure transportation of fish products from the slicing zone to the packaging zone in adjusted weight (for each piece of the product).<br>All conveyors have two side support, transition bridge to the next conveyor and control button (on the electric panel or conveyor).<br>Electric drive with protective cover and provided with frequency converter.<br>One control per group (2-5) of interfacing conveyors.<br>The functionality, quantity and dimensions (length (L), height (H), width (W), or diameter (D) in mm, as follows in the description. |
| <b>A set consists of the following equipment:</b> |                            |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 8.1.1.                                            | Curve modular conveyor No1 | 1 unit | 1.1. Conveyors No1-No4 serve to transport sliced fish from the slicing machine to the automatic distribution system.<br>1.2. Belt type: curved modular belt<br>1.3. Working width: not less than 220 mm (adjustable)<br>1.4. Power consumption: not more than 0.5 kW<br>1.5. Speed: adjustable<br>1.6. Material: stainless steel AISI 304<br>1.7. External dimensions: L 5000 mm; H – 700–1100 mm; W minimum 280 mm                                                                                                                                                       |
| 8.1.2.                                            | Curve modular conveyor No2 | 1 unit |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 8.1.3.                                            | Curve modular conveyor No3 | 1 unit |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 8.1.4.                                            | Curve modular conveyor No4 | 1 unit |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 8.1.5.                                            | Product pushing device No5 | 1 unit | 1.1. Product pushing devices No5-No7 are automatic fish tray distribution system, merging the flow from four conveyors into one, preventing congestion and collisions.<br>1.2. Pusher device: pneumatic pusher operated by compressed air.<br>1.3. Belt type: belt, modular belt or roller<br>1.4. Material: stainless steel AISI 304<br>1.5. The pushing system should be adapted for different tray sizes:<br>min: 125mm x 160mm<br>max: 600mm x 200mm<br>1.6. The pushing system should be adapted for different product weight:<br>min: 100gr<br>max: 1000gr          |
| 8.1.6.                                            | Product pushing device No6 | 1 unit |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 8.1.7.                                            | Product pushing device No7 | 1 unit |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

|         |                                       |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------|---------------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8.1.8.  | Dynamic checkweigher No8              | 1 unit | <p>The dynamic checkweigher is designed for automatic weight control of the product placed on trays during transportation. Each product unit is weighed in motion and the measured value is compared with predefined weight limits. In case the measured weight is outside the acceptable range, the system sends a signal to the external pneumatic pusher device for product removal from the main conveyor line.</p> <p>1.1. Weight precision: +/-2% from the product weight</p> <p>1.2. Belt material: suitable for direct contact with food products</p> <p>1.3. Material: stainless steel AISI 304</p> <p>1.4. The pushing system should be adapted for different tray sizes:<br/>min: 125mm x 160mm<br/>max: 600mm x 200mm</p> <p>1.5. The pushing system should be adapted for different product weight:<br/>min: 100gr<br/>max: 1000gr</p> |
| 8.1.9.  | Product pushing device No9            | 1 unit | <p>Product pushing device No9 is designed to remove trays that do not meet the weight requirements based on the signal received from the checkweigher. The device receives a control signal from the checkweigher and directs the trays either to conveyor No11 or allows them to continue to conveyor No10.</p> <p>1.1. Pusher device: pneumatic pusher operated by compressed air.</p> <p>1.2. Belt type: belt, modular belt or roller</p> <p>1.3. Power consumption: 0.1 - 0.5 kW</p> <p>1.4. Belt type: belt, modular belt or roller</p> <p>1.5. Material: stainless steel AISI 304</p> <p>1.6. The pushing system should be adapted for different tray sizes:<br/>min: 125mm x 160mm<br/>max: 600mm x 200mm</p> <p>1.7. The pushing system should be adapted for different product weight:<br/>min: 100gr<br/>max: 1000gr</p>                  |
| 8.1.10. | Straight modular conveyor No10        | 1 unit | <p>1.1. Speed: adjustable</p> <p>1.2. Material: stainless steel AISI 304</p> <p>1.3. External dimensions: L up to 4000mm; H 700–1100mm, W minimum 220 mm</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 8.1.11. | Straight modular conveyor No11        | 1 unit | <p>1.1. Conveyor for tray receiving and transport.</p> <p>1.2. Belt type: modular belt</p> <p>1.3. Speed: adjustable</p> <p>1.4. Material: stainless steel AISI 304</p> <p>1.5. Power: not more than 0.5 kW</p> <p>1.6. External dimensions: L up to 4000mm; H 700–1100mm; W minimum 220mm</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 8.1.12. | Round rotating table with scales No12 | 1 unit | <p>1.1. Equipped with 4 removable working places (area: minimum 600 x 500 mm), each provided with scales for manual correction of the product weight.</p> <p>1.2. Power consumption: not more than 1.5 kW</p> <p>1.3. Material: stainless steel AISI 304</p> <p>1.4. External dimensions: D 1500 mm; H 700–1100 mm</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

9. Other requirements:

- a supplier has at least one year of experience in the field to which procurement relates;
- all the parts and units in the set of equipment must be new and comply with EU standards.
- a supplier must declare that the equipment is new and after delivery, a supplier must provide the appropriate CE certificates for the equipment set.
- **the price of the equipment set must include the purchase, delivery, installation, staff training, and all other costs required for the commissioning of the equipment.**
- a supplier submits relevant information (manufacturer, model, additional description of equipment, pictures, etc.) about the proposal to allow assessing its compliance with the technical specification thoroughly.
- a supplier is a manufacturer or a representative and has the right to sell and maintain the equipment specified in the offer.
- **the proposal must be prepared and submitted in Latvian or English. It must be computer - written and signed with a secure electronic signature.**
- a supplier must submit a proposal: by e-mail to address: [ieva@edo.lv](mailto:ieva@edo.lv).
- the proposal must be of good quality and prepared so that it does not have to be modified.  
**The proposal must state that the offer is final and will not be reviewed.**

10. Warranty: at least 12 (twelve) months from the date of commissioning.

11. The proposal consists of:

- completed and signed Application for participation – Annex 1. To obtain the form in MS Word format, please contact Ieva Leimane electronically by sending a request to the e-mail – [ieva@edo.lv](mailto:ieva@edo.lv);
- additional information about the set of equipment (manufacturer, model, additional description of equipment, pictures, etc.) which allows to assess its compliance with the technical specification;
- confirmation of an independently prepared offer – Annex 2.

**12. The proposal must be submitted by the 17th of March, 2026, by email, signed with secure electronic signature.**

13. Evaluation of proposals:

- 13.1. Supplier submits one proposal for the entire procurement subject. The contract will be concluded for the whole issue of the procurement.
- 13.2. Only a proposal that includes all information mentioned in point 11 of the technical specification will be evaluated.
- 13.3. The commission for opening procurement proposals is closed.
- 13.4. The winner will be the supplier who submits the proposal in accordance with the technical specification with the lowest price.

The technical specification of the procurement process was approved by:

Edgars Zaicevs, project manager

**APPLICATION FOR PARTICIPATION**

Place

Date:

**Customer:** Ltd "IP Vecmīlgrāvis"  
LV40003643261

Procurement: **"Set of conveyors" Ref.Nr. IPV-2/2026****Supplier information**

Name of supplier:  
Taxpayer number:  
Legal address:  
Post address:  
Phone:  
E-mail:

**Supplier contact information**

Name, Last name:  
Position:  
Phone:  
E-mail:

**Financial proposal**

| Position (model)     | Quantity | Unit price,<br>EUR (excl.<br>VAT) | Total price, EUR<br>excl. VAT) |
|----------------------|----------|-----------------------------------|--------------------------------|
| Set of conveyors     | 1        |                                   |                                |
| Shipping costs:      |          |                                   |                                |
| Commissioning costs: |          |                                   |                                |
| Total EUR, excl. VAT |          |                                   |                                |
| EUR, VAT             |          |                                   |                                |
| Total EUR, incl. VAT |          |                                   |                                |

Proposal validity period: till 30.06.2026.  
Delivery time: till 30.06.2027.  
Delivery address: Lielā iela 62F, Mērsrags, Mēsrags pag., Talsu nov., Latvija

| Order and price overview                     |          |                 |
|----------------------------------------------|----------|-----------------|
|                                              | Quantity | Total price (€) |
| Curve modular conveyor No1                   |          |                 |
| Curve modular conveyor No2                   |          |                 |
| Curve modular conveyor No3                   |          |                 |
| Curve modular conveyor No4                   |          |                 |
| Product pushing device No5                   |          |                 |
| Product pushing device No6                   |          |                 |
| Product pushing device No7                   |          |                 |
| Dynamic checkweigher No8                     |          |                 |
| Product pushing device No9                   |          |                 |
| Straight modular conveyor No10               |          |                 |
| Straight modular conveyor No11               |          |                 |
| Round rotating table with in scales No12     |          |                 |
| <b>Set of conveyors Total EUR, excl. VAT</b> |          |                 |

**Supplier hereby confirms that:**

1. it has more than one year of experience in the field to which procurement relates.
2. all units and parts of the equipment included in the proposal are new and complies with the standards of the European Union.
3. along with the set of equipment, the corresponding CE certificates will be provided for all equipment units.
4. the total price of the proposal includes the costs of purchasing, delivery, installation, insultation, commissioning, start-up, staff training etc. costs.
5. the warranty period of the equipment set is at least 12 (twelve) months.
6. the set of equipment included in the proposal **fully complies with the technical specification Ref.Nr. IPV-2/2026.**
7. the proposal is final and will not be revised.

Date\_\_\_\_\_

Signature

**Confirmation of an independently prepared offer Ref.Nr. IPV-2/2026**

By providing comprehensive and truthful information, \_\_\_\_\_  
*Supplier's name, reg. Nr.*

(hereinafter - The Applicant) concerning the specific procurement confirms, that:

1. The Applicant has read and agrees with the content of this confirmation.
2. The Applicant is aware of its obligation to provide complete, comprehensive, and truthful information in this confirmation.
3. The Applicant's authorized person has signed the Applicant's procurement offer.
4. The Applicant informs that he has submitted an offer independently of competitors<sup>1</sup> and without consultations, contracts, or agreements. The Applicant has not been in contact with any competitor regarding:
  - 4.1. Prices;
  - 4.2. Methods of price calculation, factors (conditions) or formulas;
  - 4.3. Intention or decision to participate or not to participate in the procurement (to submit or not to submit a tender); or
  - 4.4. Submission of an offer that does not meet the procurement requirements;
  - 4.5. Quality, volume, specification, performance, delivery, or other conditions must be resolved independently of competitors for products or services covered by this procurement.
5. The Applicant has not knowingly, directly, or indirectly disclosed and will not disclose the terms of the offer to any competitor before the official date and time of the opening of proposals or the contract award.
6. The Applicant is aware that the Law of Competition provides for liability for prohibited agreements, providing for a fine of up to approximately 10% of the infringer's net turnover in the last financial year, and the Applicant may be excluded from participation in the procurement procedure.

Date \_\_\_\_\_

Signature

<sup>1</sup> In the context of this statement, the term "competitor" means any natural or legal person, other than the Applicant who: 1) submits an offer for this procurement; 2) depending on its qualification, abilities or experience, as well as the goods or services offered, could submit an offer for this procurement.